



MURO NO PORTANTE
PORTANTE E:12CM
MURO PORTANTE E:36CM
MURO PORTANTE E:18CM

VM1	IPN 120
VM2	IPN 120
VM3	IPN 180
VM4	2 UPN 160
VM5	UPN 160
VM6	IPN180
VM7	IPN 140
CEM1	C180x50x15x2



REFERENCIAS		
CH1b	4 Ø 10	
CH2	6 Ø 12	
CH3	5 Ø 12	
CH3b	5 Ø 12	
CH4	4 Ø 12	
CH4a	4 + 2 Ø 12	
CH4b	4 Ø 12	
CH5	4 Ø 10	
CH5b	4 Ø 10	
CH7	4 Ø 10	
CH7b	4 Ø 10	
Todas las CH llevan estribos del Ø 6 cada 14 cm		
Características de los materiales Hormigon H-21 Acero Barras AD N-420		

ESTRUCTURA CUBIERTA



UNIVERSIDAD NACIONAL DE LANUS DIRECCION DE PLANIFICACION FISICA		Obra ESCUELA DE GOBIERNO NESTOR KIRCHNER			
		10-ESTRUCTURA CUBIERTA			
		REV.1	DIBUJO	Archivo	PLANO
		REV.2	-	10-ESTRUCTURA	EST-02
		REV.3			
		REV.4	REEMPLAZA A	ESCALA	FECHA
		REV.5	-	1:75	27-01-15
		REV.6			